NLSY97 Round 1 Parent Questionnaire

01/09/97

[P-VERSION]

THE OHIO STATE UNIVERSITY CENTER FOR HUMAN RESOURCE RESEARCH

CAPI

(PARENT QUESTIONNAIRE VERSION: 01/03/1997, 8:00 AM)

Lead In: None.

Default Next Question: PINF-005

Information

[PINF-005]

This study is sponsored by the U.S. Department of Labor, Bureau of Labor Statistics, under authority of Title 29 USC 2. Your participation is vital to the success of the study and is voluntary. The survey is conducted to understand the labor market experience of young adults. The information will be used by BLS and other researchers. The information you provide is protected under the Privacy Act. Personal identifiers (e.g., name, address, or Social Security number) will be held in confidence and will not be released to the public.

Lead In: P-VERSION[Default]
Default Next Question: PINF-006

[PINF-006]

The Bureau of Labor Statistics estimates THAT IT WILL TAKE AN AVERAGE OF 60 MINUTES PER RESPONDENT to complete this survey. If you have any comments regarding this estimate or any other aspect of the survey including suggestions for reducing the time needed to respond, you may send them to the Bureau of Labor Statistics, National Longitudinal Survey (OMB No. 1220-0157, Exp. 8-31-98) 2 Massachusetts Ave., N.E., Washington, DC 20212.

Lead In: PINF-005[Default]
Default Next Question: PINF-018

[PINF-018]

INTERVIEWER: THE PARENT CHOSEN TO RESPOND TO THIS INTERVIEW IS %parname%.

IS THIS THE CORRECT PERSON?

1 Yes (Go To PINF-025) 0 No

Lead In: PINF-006[Default]
Default Next Question: PINF-020

[PINF-020]

TEXT=(INTERVIEWER: CHOOSE THE CORRECT PARENT TO RESPOND TO THIS INTERVIEW FROM THE ROSTER BELOW. IF THE CHOSEN PARENT OR PARENT-FIGURE IS NOT AVAILABLE, YOU MAY SUBSTITUTE THE OTHER PARENT OR PARENT-FIGURE. DO NOT SUBSTITUTE ANYONE BUT A PARENT OR PARENT-FIGURE.

HIGHLIGHT THE PERSON WHO IS BEING INTERVIEWED AND PRESS <ENTER>.)

RECORDS=()
FIELDS=()

Lead In: PINF-018[Default]
Default Next Question: PINF-025

[PINF-025]

(%informant.id% = %parent.id%);

/* IS THE SCREENER INFORMANT THE SAME PERSON AS THE RESPONDING PARENT? */

Branch Conditions...

1 : Go To PS-ELIG-CHECK-1

Lead In: PINF-020[Default] PINF-018[1:1]

Default Next Question: PINF-027

[PINF-027]

TEXT=("I have the address and phone number for this household as (READ INFORMATION BELOW).

Is this correct? (INTERVIEWER: IF CORRECT, PRESS <TAB> TO MOVE THROUGH ADDRESS FIELDS. PRESS <ENTER> AT END OF ADDRESS FIELDS TO CHANGE SCREENS.)")

FIELDS=(%astreet%=CHAR=30="Street",

%acity%=CHAR=30="City",

% astate%=STATES=20="State",

%azip%=CHAR=10="Zip",

%acounty%=CHAR=20="County",

%aareacd%=CHAR=6="Area Code",

%aphone%=CHAR=10="Telephone")

Lead In: PINF-025[Default]
Default Next Question: PINF-044

[PINF-044]

I am going to read some information that %informant.name2% just gave me about you. Please tell me if it is correct.

Your name is %parname%, and you are a %parsext%, born on %*parbdate%. You %parmart% and %parpartt%. The highest grade of school you have completed is %parhigrdtxt%. Your %parbiopart% living in this household. You %parspart% living in this household. Is this correct?

1 CORRECT (Go To PINF-088-LOOP-BEGIN) 0 NOT CORRECT

Lead In: PINF-027[Default]
Default Next Question: PINF-045

[PINF-045]

Which information is not correct?

(INTERVIEWER: CHOOSE ALL INFORMATION NOT CORRECT FROM LIST BELOW AND PRESS <ENTER> TO CONTINUE.)

CODE LABEL

---- ----

- 9 Highest grade completed
- 1 Spelling of name (name correct)
- 2 Name (name not correct)
- 3 Sex
- 4 Date of birth
- 5 Marital Status
- 6 Information on partner
- 7 Information on spouse
- 8 Information on biological parents

Lead In: PINF-044[Default]
Default Next Question: PINF-046

INLIST ([PINF-045],1);

[PINF-046]

/* WAS THE RESPONDING PARENT'S NAME CORRECT, BUT SPELLED INCORRECTLY? */

Branch Conditions... 1 : Go To PINF-047

Lead In: PINF-045[Default]
Default Next Question: PINF-049

[PINF-047]

What is the correct spelling of your name?

(INTERVIEWER: ENTER CORRECT SPELLING OF NAME AS INDICATED BY

RESPONDENT AND PRESS <ENTER> TO CONTINUE.)

Lead In: PINF-046[1:1] Default Next Question: PINF-049 [PINF-049] INLIST ([PINF-045],2); /* WAS THE RESPONDING PARENT'S NAME INCORRECT? */ Branch Conditions... 1: Go To PINF-050 Lead In: PINF-046[Default] PINF-047[Default] Default Next Question: PINF-055 [PINF-050] TEXT=(What is your name? (INTERVIEWER: CHOOSE NAME INDICATED BY RESPONDENT AND PRESS <ENTER> TO CONTINUE.)) RECORDS=() FIELDS=() Lead In: PINF-049[1:1] Default Next Question: PINF-055 [PINF-055] INLIST ([PINF-045],3); /* WAS THE RESPONDING PARENT'S SEX INCORRECT? */ Branch Conditions... 1: Go To PINF-056 Lead In: PINF-049[Default] PINF-050[Default] Default Next Question: PINF-057 [PINF-056] (INTERVIEWER: IF NOT OBVIOUS, ASK:) What is your sex? 1 Male 2 Female Lead In: PINF-055[1:1] Default Next Question: PINF-057

```
[PINF-057]
INLIST ([PINF-045],4);
/* WAS THE RESPONDING PARENT'S DATE OF BIRTH INCORRECT? */
Branch Conditions...
   1: Go To PINF-058
Lead In: PINF-055[Default] PINF-056[Default]
Default Next Question: PINF-059
[PINF-058]
What is your correct date of birth?
 ENTER MONTH | L | ENTER DAY | L | ENTER YEAR | L | L |
Lead In: PINF-057[1:1]
Default Next Question: PINF-059
[PINF-059]
INLIST ([PINF-045],5);
/* WAS THE RESPONDING PARENT'S MARITAL STATUS INCORRECT? */
Branch Conditions...
   1: Go To PINF-060
Lead In: PINF-057[Default] PINF-058[Default]
Default Next Question: PINF-061
[PINF-060]
What is your marital status? Are you ... (READ CATEGORIES)?
   0 Never-married
   1 Married
   2 Separated
   3 Divorced
   4 Widowed
Lead In: PINF-059[1:1]
Default Next Question: PINF-061
[PINF-061]
INLIST ([PINF-045],8);
/* WAS THE RESPONDING PARENT'S BIOLOGICAL PARENT INFORMATION INCORRECT? */
Branch Conditions...
   1: Go To PINF-062
```

```
Lead In: PINF-059[Default] PINF-060[Default]
Default Next Question: PINF-070
[PINF-062]
Is your biological mother living?
    1 Yes
   0 No (Go To PINF-066)
Lead In: PINF-061[1:1]
Default Next Question: PINF-063
[PINF-063]
Does your biological mother live in the household?
    1 Yes (Go To PINF-064)
   0 No
Lead In: PINF-062[Default]
Default Next Question: PINF-066
[PINF-064]
TEXT=(Who is your biological mother?
(INTERVIEWER: HIGHLIGHT NAME INDICATED BY RESPONDENT ON ROSTER,
               AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-063[1:1]
Default Next Question: PINF-066
[PINF-066]
Is your biological father living?
    1 Yes
   0 No (Go To PINF-070)
Lead In: PINF-063[Default] PINF-064[Default] PINF-062[0:0]
Default Next Question: PINF-067
[PINF-067]
Does your biological father live in the household?
    1 Yes (Go To PINF-068)
   0 No
```

Lead In: PINF-066[Default] Default Next Question: PINF-070 [PINF-068] TEXT=(Who is your biological father? (INTERVIEWER: HIGHLIGHT NAME INDICATED BY RESPONDENT ON ROSTER, AND PRESS <ENTER> TO CONTINUE.)) RECORDS=() FIELDS=() Lead In: PINF-067[1:1] Default Next Question: PINF-070 [PINF-070] INLIST ([PINF-045],6); /* WAS THE RESPONDING PARENT'S PARTNER INFORMATION INCORRECT? */ Branch Conditions... 1: Go To PINF-080 Lead In: PINF-061[Default] PINF-067[Default] PINF-068[Default] PINF-066[0:0] Default Next Question: PINF-071 [PINF-071] INLIST ([PINF-045],7); /* WAS THE RESPONDING PARENT'S SPOUSE/ PARTNER RESIDENCE INFORMATION INCORRECT? Branch Conditions... 1: Go To PINF-080 Lead In: PINF-070[Default] Default Next Question: PINF-072 [PINF-072] (%parmar% = %oparmar%);/* WAS RESPONDING PARENT'S MARITAL STATUS CORRECT ORIGINALLY? */ Branch Conditions... 1: Go To PINF-083 Lead In: PINF-071[Default]

NLS97; Round #1; Parent; Information

Default Next Question: PINF-073

```
[PINF-073]
(\%parmar\% = 1) and (\%oparmar\% = 0);
/* WAS RESPONDING PARENT'S MARITAL STATUS CORRECTED FROM NEVER MARRIED TO
MARRIED? */
Branch Conditions...
  1: Go To PINF-074
Lead In: PINF-072[Default]
Default Next Question: PINF-076
[PINF-074]
Is your spouse living in the household?
   1 YES (Go To PINF-075)
   0 \text{ NO}
Lead In: PINF-073[1:1]
Default Next Question: PINF-083
[PINF-075]
TEXT=(What is your spouse's name?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT ON
              ROSTER AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-074[1:1]
Default Next Question: PINF-083
[PINF-076]
(\%parmar\% = 2) and (\%oparmar\% = 0);
/* WAS RESPONDING PARENT'S MARITAL STATUS CORRECTED FROM NEVER MARRIED TO
SEPARATED? */
Branch Conditions...
  1: Go To PINF-077
Lead In: PINF-073[Default]
Default Next Question: PINF-079
[PINF-077]
Do you have a spouse or partner living in the household?
```

1 Yes, spouse (Go To PINF-078)

```
2 Yes, partner (Go To PINF-078)
    0 No
Lead In: PINF-076[1:1]
Default Next Question: PINF-083
[PINF-078]
TEXT=(What is your (spouse/partner)'s name?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT ON
               ROSTER AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-077[1:1] PINF-077[2:2]
Default Next Question: PINF-083
[PINF-079]
((\%\text{oparmar}\% = 0) \text{ or } (\%\text{oparmar}\% = 3) \text{ or } (\%\text{oparmar}\% = 4)) \text{ and } ((\%\text{parmar}\% = 1) \text{ or }
(\%parmar\% = 2));
/* WAS RESPONDING PARENT'S MARITAL STATUS CORRECTED FROM NEVER MARRIED,
DIVORCED
OR WIDOWED TO MARRIED OR SEPARATED? */
Branch Conditions...
   1: Go To PINF-080
Lead In: PINF-076[Default]
Default Next Question: PINF-083
[PINF-080]
Do you currently have a partner?
We define partner as a person who you live with and with whom you also have a
sexual relationship.
    1 YES (Go To PINF-081)
    0 \text{ NO}
Lead In: PINF-070[1:1] PINF-071[1:1] PINF-079[1:1]
Default Next Question: PINF-083
[PINF-081]
Do you have a (spouse/partner) in the household?
    1 Yes, spouse (Go To PINF-082)
    2 Yes, partner (Go To PINF-082)
    0 No
```

Lead In: PINF-080[1:1]

Default Next Question: PINF-083

[PINF-082]

TEXT=(What is your (spouse/partner)'s name?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-081[1:1] PINF-081[2:2] Default Next Question: PINF-083

[PINF-083]

(%parsparid% = %oldparsparid%);

/* HAS A NEW SPOUSE/PARTNER BEEN IDENTIFIED FOR RESPONDING PARENT? */

Branch Conditions...

1: Go To PINF-084

Lead In: PINF-074[Default] PINF-075[Default] PINF-077[Default]

PINF-078[Default]PINF-079[Default] PINF-080[Default] PINF-081[Default]

PINF-082[Default] PINF-072[1:1]

Default Next Question: PINF-085a

[PINF-084]

INTERVIEWER: DID RESPONDENT CORRECT NAME OF SPOUSE/PARTNER?

1 YES

0 NO (Go To PINF-085a)

Lead In: PINF-083[1:1]

Default Next Question: PINF-085

[PINF-085]

TEXT=(Please tell me the name of your (spouse/partner).

(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-084[Default]
Default Next Question: PINF-085a

```
[PINF-085a]
INLIST ([PINF-045],9);
/* WAS THE RESPONDING PARENT'S HIGHEST GRADE COMPLETED INCORRECT? */
Branch Conditions...
   1: Go To PINF-085b
Lead In: PINF-083[Default] PINF-085[Default] PINF-084[0:0]
Default Next Question: PINF-088-LOOP-BEGIN
[PINF-085b]
What is the highest grade of schooling that you have completed?
    0 None
    1 1st grade
    2 2nd grade
    3 3rd grade
    4 4th grade
    5 5th grade
    6 6th grade
    7 7th grade
    8 8th grade
    9 9th grade
   10 10th grade
   11 11th grade
   12 12th grade
   13 1st year of college
   14 2nd year of college
   15 3rd year of college
   16 4th year of college
   17 5th year of college
   18 6th year of college
   19 7th year of college
   20 8th year of college
   93 Pre-kindergarten
   94 Kindergarten
   95 Ungraded
Lead In: PINF-085a[1:1]
Default Next Question: PINF-088-LOOP-BEGIN
[PINF-088-LOOP-BEGIN]
REPEAT (%PINF-LOOP-1%);
/* BEGIN LOOPING THROUGH SAMPLE YOUTHS */
Lead In: PINF-085a[Default] PINF-085b[Default] PINF-044[1:1]
Default Next Question: PINF-092
```

[PINF-092]

```
([PINF-018] = 0);
/* WAS RESPONDING PARENT CORRECTED ABOVE? */
Branch Conditions...
  0 : Go To PINF-112
Lead In: PINF-088-LOOP-BEGIN[Default]
Default Next Question: PINF-095
[PINF-095]
(\%parsex\% = 1);
/* is the new responding parent a male? */
Branch Conditions...
  1: Go To PINF-096
Lead In: PINF-092[Default]
Default Next Question: PINF-097
[PINF-096]
What is your relationship to %youth.name()%?
   2 BIRTH FATHER
   4 STEP FATHER
   6 ADOPTIVE FATHER
   8 GUARDIAN, MALE RELATIVE
   10 GUARDIAN, FOSTER FATHER, LIVE 2+ YRS W/YOUTH
   12 GUARDIAN OTHER NONREL MALE LIVE 2+ YRS W/YOUTH
   18 FATHER FIGURE, RELATIVE
   20 FATHER FIGURE NONREL, LIVE 2+ YRS W/YOUTH
   99 OTHER (SPECIFY)
Lead In: PINF-095[1:1]
Default Next Question: PINF-112
[PINF-097]
What is your relationship to %youth.name()%?
   1 BIRTH MOTHER
   3 STEP MOTHER
   5 ADOPTIVE MOTHER
   7 GUARDIAN, FEMALE RELATIVE
   9 GUARDIAN, FOSTER MOTHER, LIVE 2+ YRS W/YOUTH
   11 GUARDIAN OTHER NONREL FEMALE LIVE 2+ YRS W/YOUTH
   17 MOTHER FIGURE. RELATIVE
   19 MOTHER FIGURE NONREL, LIVE 2+ YRS W/YOUTH
```

99 OTHER (SPECIFY)

Lead In: PINF-095[Default]
Default Next Question: PINF-112

[PINF-112]

I now need to verify some information about %youth.name()%. Please tell me if the following information is correct ...

Lead In: PINF-092[Default] PINF-096[Default] PINF-097[Default] Default Next Question: PINF-113

[PINF-113]

... %youth.name()% was born on %*youth.dob()%. That makes %youth.name()% %youth.agedol()% on December 31, 1996. %yhe/she()% is currently %ygradet()%. Is this all correct?

1 CORRECT (Go To PINF-154) 0 NOT CORRECT

Lead In: PINF-112[Default]
Default Next Question: PINF-114

[PINF-114]

Which information is not correct?

(INTERVIEWER: CHOOSE ALL INFORMATION NOT CORRECT FROM LIST BELOW AND PRESS <ENTER> TO CONTINUE.)

CODE LABEL

- 1 Spelling of name (name correct)
- 3 Sex
- 4 Date of birth
- 9 Current age
- 10 Current enrollment status

Lead In: PINF-113[Default]
Default Next Question: PINF-115

[PINF-115]

INLIST([PINF-114()],1);

/* WAS THE SAMPLE YOUTH'S NAME CORRECT, BUT SPELLED INCORRECTLY? */

Branch Conditions... 1 : Go To PINF-116

Lead In: PINF-114[Default]
Default Next Question: PINF-121

[PINF-116]

What is the correct spelling of %youth.name()%'s name?

(INTERVIEWER: ENTER CORRECT SPELLING OF %youth.name()% AS INDICATED BY RESPONDENT AND PRESS <ENTER> TO CONTINUE.)

Lead In: PINF-115[1:1]

Default Next Question: PINF-121

[PINF-121]

INLIST ([PINF-114()],3);

/* WAS THE SAMPLE YOUTH'S SEX INCORRECT? */

Branch Conditions...

1 : Go To PINF-122

Lead In: PINF-115[Default] PINF-116[Default]

Default Next Question: PINF-123

[PINF-122]

(INTERVIEWER: IF NOT OBVIOUS, ASK:)

What is %youth.name()%'s sex?

1 Male

2 Female

Lead In: PINF-121[1:1]

Default Next Question: PINF-123

[PINF-123]

INLIST ([PINF-114()],4);

/* WAS SAMPLE YOUTH'S DATE OF BIRTH INCORRECT? */

Branch Conditions...

1: Go To PINF-125

Lead In: PINF-121[Default] PINF-122[Default]

Default Next Question: PINF-124

[PINF-124]

INLIST ([PINF-114()],9);

/* WAS THE SAMPLE YOUTH'S CURRENT AGE INCORRECT? */

Branch Conditions...

0: Go To PINF-129

Lead In: PINF-123[Default] Default Next Question: PINF-125 [PINF-125] What is %youth.name()%'s correct date of birth? ENTER MONTH | | ENTER DAY | | ENTER YEAR | | | Lead In: PINF-124[Default] PINF-123[1:1] Default Next Question: PINF-125a [PINF-125a] ISCOMPLETE (%youth.dob()%); /* check if date was NOT refused or don't know */ Branch Conditions... 1: Go To PINF-128 Lead In: PINF-125[Default] Default Next Question: PINF-125b [PINF-125b] What is %youth.name()%'s age? Lead In: PINF-125a[Default] Default Next Question: PINF-125c [PINF-125c] Has %youth.name()% had a birthday since January 1, 1997? 1 Yes 0 No Lead In: PINF-125b[Default] Default Next Question: PINF-129 [PINF-128] This would make %youth.name()% %youth.age()% now. Is that correct? (INTERVIEWER: IF RESPONDENT ANSWERS "NO", PLEASE VERIFY DATE OF BIRTH AND CORRECT AS NECESSARY. RETURN TO PREVIOUS SCREENS USING <PGUP> KEY.) 1 YES 0 NO

NLS97; Round #1; Parent; Information

Lead In: PINF-125a[Default]

```
Default Next Question: PINF-129
[PINF-129]
INLIST ([PINF-114()],10);
/* WAS THE SAMPLE'S ENROLLMENT STATUS INCORRECT? */
Branch Conditions...
   1: Go To PINF-130
Lead In: PINF-128[Default] PINF-125c[Default] PINF-124[0:0]
Default Next Question: PINF-133
[PINF-130]
Is %youth.name()% currently enrolled in regular school?
    1 YES (Go To PINF-131)
    0 \text{ NO}
Lead In: PINF-129[1:1]
Default Next Question: PINF-154
[PINF-131]
What grade of regular school is %youth.name()% currently enrolled in?
    1 1st grade
    0 None
    2 2nd grade
    3 3rd grade
    4 4th grade
    5 5th grade
    6 6th grade
    7 7th grade
    8 8th grade
    9 9th grade
   10 10th grade
   11 11th grade
   12 12th grade
   13 In post-secondary vocational or technical training
   14 In 2 yr. college
   15 In 4 yr. college
   16 In graduate/professional school
   93 Pre-kindergarten
   94 Kindergarten
   95 Ungraded
Lead In: PINF-130[1:1]
Default Next Question: PINF-133
[PINF-133]
```

```
INLIST ([PINF-114()],11);
/* WAS THE SAMPLE YOUTH'S EMPLOYMENT STATUS INCORRECT? */
Branch Conditions...
   1: Go To PINF-134
Lead In: PINF-129[Default] PINF-131[Default]
Default Next Question: PINF-136
[PINF-134]
Is %youth.name()% currently employed?
    1 Yes, employed
   0 No, not employed
   2 Never employed (Go To PINF-136)
Lead In: PINF-133[1:1]
Default Next Question: PINF-135
[PINF-135]
What is %youth.name()%'s (current/most recent) occupation?
Lead In: PINF-134[Default]
Default Next Question: PINF-136
[PINF-136]
INLIST ([PINF-114()],5);
/* WAS THE SAMPLE YOUTH'S MARITAL STATUS INCORRECT? */
Branch Conditions...
  1 : Go To PINF-137
Lead In: PINF-133[Default] PINF-135[Default] PINF-134[2:2]
Default Next Question: PINF-140
[PINF-137]
What is %youth.name()%'s marital status? Is %yhe/she2()% ... (READ
CATEGORIES)?
   0 Never-married
   1 Married
   2 Separated
    3 Divorced
    4 Widowed
Lead In: PINF-136[1:1]
Default Next Question: PINF-138
```

```
[PINF-138]
INLIST ([PINF-114()],6);
/* WAS THE SAMPLE YOUTH'S PARTNER INFORMATION INCORRECT? */
Branch Conditions...
  1: Go To PINF-148
Lead In: PINF-137[Default]
Default Next Question: PINF-139
[PINF-139]
INLIST ([PINF-114()],7);
/* WAS THE SAMPLE YOUTH'S SPOUSE/PARTNER RESIDENCE INFORMATION INCORRECT?
*/
Branch Conditions...
  1: Go To PINF-148
Lead In: PINF-138[Default]
Default Next Question: PINF-140
[PINF-140]
(%youth.marstat()% = %oyouth.marstat()%);
/* WAS SAMPLE YOUTH'S MARITAL STATUS NOT CORRECTED? */
Branch Conditions...
  1: Go To PINF-151
Lead In: PINF-136[Default] PINF-139[Default]
Default Next Question: PINF-141
[PINF-141]
(\%youth.marstat()\% = 1) and (\%oyouth.marstat()\% = 0);
/* WAS SAMPLE YOUTH'S MARITAL STATUS CORRECTED FROM NEVER MARRIED TO
MARRIED? */
Branch Conditions...
  1: Go To PINF-142
Lead In: PINF-140[Default]
Default Next Question: PINF-144
[PINF-142]
```

Is %youth.name()%'s spouse in the household?

```
1 YES (Go To PINF-143)
   0 NO
Lead In: PINF-141[1:1]
Default Next Question: PINF-151
[PINF-143]
TEXT=(What is %youth.name()%'s spouse's name?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT ON
             ROSTER AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-142[1:1]
Default Next Question: PINF-151
[PINF-144]
(\%youth.marstat()\% = 2) and (\%oyouth.marstat()\% = 0);
/* WAS SAMPLE YOUTH'S MARITAL STATUS CORRECTED FROM NEVER MARRIED TO
SEPARATED?
Branch Conditions...
  1: Go To PINF-145
Lead In: PINF-141[Default]
Default Next Question: PINF-147
[PINF-145]
Does %youth.name()% have a spouse or partner in the household?
   1 Yes, spouse (Go To PINF-146)
   2 Yes, partner (Go To PINF-146)
   0 No
Lead In: PINF-144[1:1]
Default Next Question: PINF-151
[PINF-146]
TEXT=(What is %youth.name()%'s (spouse/partner)'s name?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT ON
              ROSTER AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
```

```
Lead In: PINF-145[1:1] PINF-145[2:2]
Default Next Question: PINF-151
[PINF-147]
((\% \text{ oyouth.marstat})\% = 0) \text{ or } (\% \text{ oyouth.marstat})\% = 3) \text{ or } (\% \text{ youth.marstat})\% = 3)
4)) and ((\%youth.marstat()\% = 1) or (\%youth.marstat()\% = 2));
/* WAS SAMPLE YOUTH'S MARITAL STATUS CORRECTED FROM NEVER MARRIED,
DIVORCED OR
WIDOWED TO MARRIED OR SEPARATED? */
Branch Conditions...
   1: Go To PINF-148
Lead In: PINF-144[Default]
Default Next Question: PINF-151
[PINF-148]
Does %youth.name()% currently have a partner?
We define partner as a person you live with and with whom you also have a sexual
relationship.
    1 YES (Go To PINF-149)
    0 \text{ NO}
Lead In: PINF-138[1:1] PINF-139[1:1] PINF-147[1:1]
Default Next Question: PINF-151
[PINF-149]
Does %youth.name()% have a (spouse/partner) living in the household?
    1 Yes, spouse (Go To PINF-150)
    2 Yes, partner (Go To PINF-150)
    0 No
Lead In: PINF-148[1:1]
Default Next Question: PINF-151
[PINF-150]
TEXT=(What is %youth.name()%'s (spouse/partner)'s name?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT
               AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-149[1:1] PINF-149[2:2]
Default Next Question: PINF-151
```

```
[PINF-151]
(%youth.spoparid()% = %oyouth.spoparid()%);
/* HAS A NEW SPOUSE/PARTNER BEEN IDENTIFIED FOR SAMPLE YOUTH? */
Branch Conditions...
  1 : Go To PINF-152
Lead In: PINF-142[Default] PINF-143[Default] PINF-145[Default]
     PINF-146[Default]PINF-147[Default] PINF-148[Default] PINF-149[Default]
     PINF-150[Default] PINF-140[1:1]
Default Next Question: PINF-154
[PINF-152]
INTERVIEWER: DID RESPONDENT CORRECT NAME OF SPOUSE/PARTNER FOR
% youth.name()%?
   1 YES
   0 NO (Go To PINF-154)
Lead In: PINF-151[1:1]
Default Next Question: PINF-153
[PINF-153]
TEXT=(Please tell me the name of %youth.name()%'s (spouse/partner).
(INTERVIEWER: HIGHLIGHT LINE WITH NAME INDICATED BY RESPONDENT
              AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-152[Default]
Default Next Question: PINF-154
[PINF-154]
([PINF-018] = 0);
/* WAS RESPONDING PARENT CORRECTED ABOVE? */
Branch Conditions...
  0: Go To PINF-157
Lead In: PINF-130[Default] PINF-151[Default] PINF-153[Default] PINF-113[1:1]
     PINF-152[0:0]
Default Next Question: PINF-161-LOOP-BEGIN
[PINF-157]
```

My information says that your relationship to %youth.name()% is %youth.parentt()%. Is this correct?

1 CORRECT (Go To PINF-161-LOOP-BEGIN) 0 NOT CORRECT

Lead In: PINF-154[Default]
Default Next Question: PINF-158

[PINF-158]

(%parsex% = 1);

/* IS RESPONDING PARENT A MALE? */

Branch Conditions... 1 : Go To PINF-159

Lead In: PINF-157[Default]
Default Next Question: PINF-160

[PINF-159]

What is your relationship to %youth.name()%?

- 2 BIRTH FATHER
- 4 STEP FATHER
- 6 ADOPTIVE FATHER
- 8 GUARDIAN, MALE RELATIVE
- 10 GUARDIAN, FOSTER FATHER, LIVE 2+ YRS W/YOUTH
- 12 GUARDIAN OTHER NONREL MALE LIVE 2+ YRS W/YOUTH
- 18 FATHER FIGURE, RELATIVE
- 20 FATHER FIGURE NONREL, LIVE 2+ YRS W/YOUTH
- 99 OTHER (SPECIFY)

Lead In: PINF-158[1:1]

Default Next Question: PINF-161-LOOP-BEGIN

[PINF-160]

What is your relationship to %youth.name()%?

- 1 BIRTH MOTHER
- 3 STEP MOTHER
- 5 ADOPTIVE MOTHER
- 7 GUARDIAN, FEMALE RELATIVE
- 9 GUARDIAN, FOSTER MOTHER, LIVE 2+ YRS W/YOUTH
- 11 GUARDIAN OTHER NONREL FEMALE LIVE 2+ YRS W/YOUTH
- 17 MOTHER FIGURE, RELATIVE
- 19 MOTHER FIGURE NONREL, LIVE 2+ YRS W/YOUTH
- 99 OTHER (SPECIFY)

Lead In: PINF-158[Default]

Default Next Question: PINF-161-LOOP-BEGIN

[PINF-161-LOOP-BEGIN]

REPEAT (%PINF-LOOP-2%);

 $/\!\!^*$ BEGIN LOOPING THROUGH POSSIBLE NON-RESPONDING BIOLOGICAL PARENTS FOR SAMPLE

YOUTH */

Lead In: PINF-159[Default] PINF-160[Default] PINF-154[Default] PINF-157[1:1]

Default Next Question: PINF-173

[PINF-173]

(%%tyouth.nonrid(%PINF-LOOP-1%:%PINF-LOOP-2%)%% = 0);

/* IS NO NON-RESPONDING PARENT IDENTIFIED FOR SAMPLE YOUTH? */

Branch Conditions...

1: Go To PINF-209

Lead In: PINF-161-LOOP-BEGIN[Default]

Default Next Question: PINF-175

[PINF-175]

(% % tyouth.nonrinhh(% PINF-LOOP-1%:% PINF-LOOP-2%)% % = 1);

/* IS NON-RESPONDING PARENT IN THE HOUSEHOLD? */

Branch Conditions...

1: Go To PINF-178

Lead In: PINF-173[Default]
Default Next Question: PINF-176

[PINF-176]

(%%tyouth.nonrinhh(%PINF-LOOP-1%:%PINF-LOOP-2%)%% = 0) and (%%tyouth.nonrdead(%PINF-LOOP-1%:%PINF-LOOP-2%)%% = 0);

/* NON-RESPONDING PARENT LIVING OUTSIDE THE HOUSEHOLD? *?

Branch Conditions...

1: Go To PINF-188

Lead In: PINF-175[Default]
Default Next Question: PINF-177

[PINF-177]

(%%tyouth.nonrinhh(%PINF-LOOP-1%:%PINF-LOOP-2%)%% = 0) and (%%tyouth.nonrdead(%PINF-LOOP-1%:%PINF-LOOP-2%)%% = 1);

```
/* NON-RESPONDING PARENT DECEASED? */
Branch Conditions...
   1: Go To PINF-198
Lead In: PINF-176[Default]
Default Next Question: PINF-209
[PINF-178]
I have %%tyouth.nonrname(%PINF-LOOP-1%:%PINF-LOOP-2%)%%, %%youth
.name(%PINF-LOOP-1%)%%'s %biopar.text()% as living in the household. Is this
correct?
   1 CORRECT (Go To PINF-209)
   0 NOT CORRECT
Lead In: PINF-175[1:1]
Default Next Question: PINF-179
[PINF-179]
Is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% living?
   1 YES (Go To PINF-180)
   0 \text{ NO}
Lead In: PINF-178[Default]
Default Next Question: PINF-209
[PINF-180]
Does %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% live in this household?
   1 YES (Go To PINF-181)
   0 \text{ NO}
Lead In: PINF-179[1:1]
Default Next Question: PINF-183
[PINF-181]
TEXT=(Who is %% youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?
(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT
              IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))
RECORDS=()
FIELDS=()
Lead In: PINF-180[1:1]
```

[PINF-183]

Default Next Question: PINF-209

TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-180[Default]
Default Next Question: PINF-209

[PINF-188]

I have %%tyouth.nonrname(%PINF-LOOP-1%:%PINF-LOOP-2%)%%, %%youth .name(%PINF-LOOP-1%)%%'s %biopar.text()% as living outside the household. Is this correct?

1 YES (Go To PINF-209) 0 NO

Lead In: PINF-176[1:1]

Default Next Question: PINF-189

[PINF-189]

Is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% living?

1 YES (Go To PINF-190) 0 NO

Lead In: PINF-188[Default]
Default Next Question: PINF-209

[PINF-190]

Does %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% live in the household?

1 YES (Go To PINF-191) 0 NO

Lead In: PINF-189[1:1]

Default Next Question: PINF-194

[PINF-191]

TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-190[1:1]

Default Next Question: PINF-209

[PINF-194]

TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-190[Default]
Default Next Question: PINF-209

[PINF-198]

I have %%tyouth.nonrname(%PINF-LOOP-1%:%PINF-LOOP-2%)%%, %%youth .name(%PINF-LOOP-1%)%%'s %biopar.text()% as deceased. Is this correct?

1 YES (Go To PINF-209) 0 NO

Lead In: PINF-177[1:1]

Default Next Question: PINF-199

[PINF-199]

Is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% living?

1 YES (Go To PINF-200) 0 NO

Lead In: PINF-198[Default]
Default Next Question: PINF-208

[PINF-200]

Does %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% live in the household?

1 YES (Go To PINF-201) 0 NO

Lead In: PINF-199[1:1]

Default Next Question: PINF-205

[PINF-201]

TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()

FIELDS=() Lead In: PINF-200[1:1] Default Next Question: PINF-209 [PINF-205] TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%? (INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.)) RECORDS=() FIELDS=() Lead In: PINF-200[Default] Default Next Question: PINF-209 [PINF-208] What is the name of %%youth.name(%PINF-LOOP-1%)%%'s deceased %biopar.text()%? Lead In: PINF-199[Default] Default Next Question: PINF-209 [PINF-209] (%PINF-LOOP-2% = 2);/* IS THIS THE SECOND TIME THROUGH THE NON-RESPONDING PARENT RESIDENCE LOOP? */ Branch Conditions... 1: Go To PINF-210 Lead In: PINF-177[Default] PINF-181[Default] PINF-183[Default] PINF-179[Default]PINF-191[Default] PINF-194[Default] PINF-189[Default] PINF-201[Default] PINF-205[Default] PINF-208[Default] PINF-173[1:1] PINF-178[1:1] PINF-188[1:1] PINF-198[1:1] Default Next Question: PINF-230-LOOP-END [PINF-210] (((%%youth.parent(%PINF-LOOP-1%))%% = 1) AND (%%tyouth.nonrsex(%PINF-LOOP-1%:1)%% = 1)) OR ((%%youth.parent(%PINF-LOOP-1%)%% = 1) AND (% tyouth.nonrsex(% PINF-LOOP-1%:2)% % = 1)) OR ((% % youth.parent(% PINF-LOOP-1%)% %

(((%%youth.parent(%PINF-LOOP-1%)%% = 1) AND (%%tyouth.nonrsex(%PINF-LOOP-1%:1)%% = 1)) OR ((%%youth.parent(%PINF-LOOP-1%)%% = 1) AND (%%tyouth.nonrsex(%PINF-LOOP-1%:2)%% = 1)) OR ((%%youth.parent(%PINF-LOOP-1%)%% = 2) AND (%%tyouth.nonrsex(%PINF-LOOP-1%:1)%% = 2)) OR ((%%youth.parent(%PINF-LOOP-1%)%% = 2)) AND (%%tyouth.nonrsex(%PINF-LOOP-1%:2)%% = 2)));

/* ARE BOTH BIOLOGICAL MOTHER AND FATHER ACCOUNTED FOR - EITHER AS

/* ARE BOTH BIOLOGICAL MOTHER AND FATHER ACCOUNTED FOR - EITHER AS RESPONDING OR NON-RESPONDING PARENT? */

Branch Conditions...

1: Go To PINF-230-LOOP-END

Lead In: PINF-209[1:1]

Default Next Question: PINF-211

[PINF-211]

(%%youth.parent(%PINF-LOOP-1%)%% = 1) or (%%tyouth.nonrsex(%PINF-LOOP-1%:1)%% = 2) or (%%tyouth.nonrsex(%PINF-LOOP-1%:2)%% = 2);

 $/\!\!^*$ IS BIOLOGICAL MOTHER ACCOUNTED FOR, EITHER AS THE RESPONDING PARENT OR A NON-RESPONDING PARENT? $^*\!\!/$

Branch Conditions...

1: Go To PINF-214

Lead In: PINF-210[Default]
Default Next Question: PINF-217

[PINF-214]

(%%youth.parent(%PINF-LOOP-1%)%% = 2) or (%%tyouth.nonrsex(%PINF-LOOP-1%:1)%% = 1) or (%%tyouth.nonrsex(%PINF-LOOP-1%:2)%% = 1);

/* IS BIOLOGICAL FATHER ACCOUNTED FOR, EITHER AS THE RESPONDING PARENT OR A NON-RESPONDING PARENT? */

Branch Conditions...

1: Go To PINF-230-LOOP-END

Lead In: PINF-211[1:1]

Default Next Question: PINF-217

[PINF-217]

Is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% living?

1 YES

0 NO (Go To PINF-227)

Lead In: PINF-211[Default] PINF-214[Default]

Default Next Question: PINF-218

[PINF-218]

Does %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()% live in the household?

1 YES (Go To PINF-219) 0 NO

Lead In: PINF-217[Default]
Default Next Question: PINF-223

[PINF-219]

TEXT=(Who is %%youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE.))

RECORDS=()
FIELDS=()

Lead In: PINF-218[1:1]

Default Next Question: PINF-230-LOOP-END

[PINF-223]

TEXT=(Who is %% youth.name(%PINF-LOOP-1%)%%'s %biopar.text()%?

(INTERVIEWER: HIGHLIGHT LINE WITH NAME OF PERSON RESPONDENT IDENTIFIES AND PRESS <ENTER> TO CONTINUE. IF PERSON IS

NOT LISTED, ENTER NAME ON THE NEXT AVAILABLE LINE.))

RECORDS=()
FIELDS=()

Lead In: PINF-218[Default]

Default Next Question: PINF-230-LOOP-END

[PINF-227]

What is the name of %%youth.name(%PINF-LOOP-1%)%%'s deceased %biopar.text()%?

Lead In: PINF-217[0:0]

Default Next Question: PINF-230-LOOP-END

[PINF-230-LOOP-END]

UNTIL (%PINF-LOOP-2%,(%PINF-LOOP-2%=2));

/* LOOK FOR UP TO TWO NON-RESPONDING PARENTS (UNTIL BIOLOGICAL MOTHER AND FATHER

ARE BOTH ACCOUNTED FOR AS MUCH AS POSSIBLE) */

Lead In: PINF-209[Default] PINF-219[Default] PINF-223[Default] PINF-227[Default] PINF-210[1:1] PINF-214[1:1]

Default Next Question: PINF-231-LOOP-BEGIN

[PINF-231-LOOP-BEGIN]

REPEAT (%PINF-LOOP-3%);

/* BEGIN LOOPING THROUGH NON-RESPONDING PARENTS */

Lead In: PINF-230-LOOP-END[Default]
Default Next Question: PINF-263-LOOP-END

[PINF-263-LOOP-END]

UNTIL (%PINF-LOOP-3%,(%PINF-LOOP-3%=2));

/* LOOK FOR UP TO TWO NON-RESPONDING PARENTS TO FILL IN (UNTIL BIOLOGICAL MOTHER

AND FATHER ARE BOTH ACCOUNTED FOR AS MUCH AS POSSIBLE) */

Lead In: PINF-231-LOOP-BEGIN[Default]

Default Next Question: PINF-274

[PINF-274]

((%youth.momid()% = 0) and (%youth.dadid()% = 0)) or ((%youth.nonr1dead()% = 1) and (%youth.nonr2dead()% = 1));

/* ARE NO BIOLOGICAL PARENTS REPORTED FOR YOUTH IN THE HOUSEHOLD OR BOTH BIOLOGICAL PARENTS DECEASED? */

Branch Conditions...

1: Go To PINF-275

Lead In: PINF-263-LOOP-END[Default]

Default Next Question: PINF-276-LOOP-BEGIN

IDNE 0761

[PINF-275]

Is %youth.name()% currently living without any parent or guardian figure?

1 YES 0 NO

Lead In: PINF-274[1:1]

Default Next Question: PINF-276-LOOP-BEGIN

[PINF-276-LOOP-BEGIN]

REPEAT (%PINF-LOOP-4%);

/* BEGIN LOOPING THROUGH YOUTH'S BIO, STEP AND ADOPTED CHILDREN */

Lead In: PINF-274[Default] PINF-275[Default]

Default Next Question: PINF-286

[PINF-286]

(%%tyouth.hhkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 0) and (%%tyouth .nrkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 0);

/* SAMPLE YOUTH HAS NO (BIO/STEP/ADOPTED) CHILDREN */

Branch Conditions...

1: Go To PINF-290

Lead In: PINF-276-LOOP-BEGIN[Default]

Default Next Question: PINF-287

[PINF-287]

(%%tyouth.hhkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 1) and (%%tyouth.nrkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 0);

/* SAMPLE YOUTH HAS (BIO/STEP/ADOPTED) CHILDREN IN THE HOUSEHOLD, BUT NO NON-RESIDENT (BIO/STEP/ADOPTED) CHILDREN */

Branch Conditions...

1: Go To PINF-293

Lead In: PINF-286[Default]
Default Next Question: PINF-288

[PINF-288]

(%%tyouth.hhkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 0) and (%%tyouth.nrkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 1);

/* SAMPLE YOUTH HAS NO (BIO/STEP/ADOPTED) CHILDREN IN THE HOUSEHOLD, BUT HAS NON-RESIDENT (BIO/STEP/ADOPTED) CHILDREN */

Branch Conditions...

1: Go To PINF-296

Lead In: PINF-287[Default]
Default Next Question: PINF-289

[PINF-289]

(%%tyouth.hhkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 1) and (%%tyouth.nrkid(%PINF-LOOP-1%:%PINF-LOOP-4%)%% = 1);

/* SAMPLE YOUTH HAS (BIO/STEP/ADOPTED) CHILDREN IN THE HOUSEHOLD, AND NON-RESIDENT (BIO/STEP/ADOPTED) CHILDREN */

Branch Conditions...

1: Go To PINF-299

Lead In: PINF-288[Default]

Default Next Question: PINF-302-LOOP-END

[PINF-290]

My information shows that %%youth.name(%PINF-LOOP-1%)%% has no %ykids.text()%. Is that correct?

1 YES (Go To PINF-302-LOOP-END)

0 NO

Lead In: PINF-286[1:1]

Default Next Question: PINF-291

[PINF-291]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living in the household?

1 YES 0 NO

Lead In: PINF-290[Default]
Default Next Question: PINF-292

[PINF-292]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living outside of the household?

1 YES 0 NO

Lead In: PINF-291[Default]

Default Next Question: PINF-302-LOOP-END

[PINF-293]

My information shows that %%youth.name(%PINF-LOOP-1%)%% has %ykids.texta()% living in the household and no %ykids.text()% living elsewhere. Is that correct?

1 YES (Go To PINF-302-LOOP-END) 0 NO

Lead In: PINF-287[1:1]

Default Next Question: PINF-294

[PINF-294]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living in the household?

1 YES 0 NO

Lead In: PINF-293[Default]
Default Next Question: PINF-295

[PINF-295]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living outside of the household?

1 YES

0 NO

Lead In: PINF-294[Default]

Default Next Question: PINF-302-LOOP-END

[PINF-296]

My information shows that %%youth.name(%PINF-LOOP-1%)%% has no %ykids.text()% in the household, but has %ykids.texta()% living elsewhere. Is that correct?

1 YES (Go To PINF-302-LOOP-END) 0 NO

Lead In: PINF-288[1:1]

Default Next Question: PINF-297

[PINF-297]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living in the household?

1 YES 0 NO

Lead In: PINF-296[Default]
Default Next Question: PINF-298

[PINF-298]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living outside of the household?

1 YES 0 NO

Lead In: PINF-297[Default]

Default Next Question: PINF-302-LOOP-END

[PINF-299]

My information shows that %%youth.name(%PINF-LOOP-1%)%% has %ykids.texta()% living in the household, as well as %ykids.texta()% living elsewhere. Is that correct?

1 YES (Go To PINF-302-LOOP-END) 0 NO

Lead In: PINF-289[1:1]

Default Next Question: PINF-300

[PINF-300]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living in the household?

1 YES

0 NO

Lead In: PINF-299[Default]
Default Next Question: PINF-301

[PINF-301]

Does %%youth.name(%PINF-LOOP-1%)%% have %ykids.text()% living outside of the household?

1 YES 0 NO

Lead In: PINF-300[Default]

Default Next Question: PINF-302-LOOP-END

[PINF-302-LOOP-END]

UNTIL (%PINF-LOOP-4%,(%PINF-LOOP-4%=3));

/* COMPLETE LOOP FOR BIOLOGICAL, STEP AND ADOPTED CHILDREN */

Lead In: PINF-289[Default] PINF-292[Default] PINF-295[Default]

PINF-298[Default]PINF-301[Default] PINF-290[1:1] PINF-293[1:1]

PINF-296[1:1] PINF-299[1:1]

Default Next Question: PINF-313-LOOP-END

EDNIE 212 LOOP EVEN

[PINF-313-LOOP-END]

UNTIL (%PINF-LOOP-1%,(%PINF-LOOP-1%=%youth.count%));

/* REPEAT LOOP FOR YOUTH INFORMATION UNTIL ALL YOUTH ARE ACCOUNTED FOR */

Lead In: PINF-302-LOOP-END[Default]
Default Next Question: PS-ELIG-CHECK-1

[PS-ELIG-CHECK-1]

INPATH ([PINF-312b(1)]);

/* Was question PINF-312b hit? */

Branch Conditions...

1: Go To PS-ELIG-CHECK-2

Lead In: PINF-025[Default] PINF-313-LOOP-END[Default]

Default Next Question: PS-20-LOOP-BEGIN

[PS-ELIG-CHECK-2]

XFER (ROS=YOUTH, DIR=OUT, COND=(ELIGIBLE=1), FIELDS=(ELIGIBLE=% sample .eligible()%));

/* XFER UPDATED YOUTH INFORMATION FROM ROSTER */

```
0: Go To P-END
Lead In: PS-ELIG-CHECK-1[1:1]
Default Next Question: PS-20-LOOP-BEGIN
[PS-20-LOOP-BEGIN]
REPEAT (%PS-LOOP-1%);
/* repeat the next few questions */
Lead In: PS-ELIG-CHECK-1 [Default] PS-ELIG-CHECK-2 [Default]
Default Next Question: PS-22
[PS-22]
(\%ps-loop-1\% = 1);
/* is this the first time through? If yes, don't bother checking the nonr1 or
nonr2 */
Branch Conditions...
   1: Go To PS-31-LOOP-END
Lead In: PS-20-LOOP-BEGIN[Default]
Default Next Question: PS-23-LOOP-BEGIN
[PS-23-LOOP-BEGIN]
REPEAT (%ps-loop-2%);
/* repeat the next few qs */
Lead In: PS-22[Default]
Default Next Question: PS-25-LOOP-END
[PS-25-LOOP-END]
UNTIL (%ps-loop-2%, ((%ps-loop-2% = (%ps-loop-1% - 1)) or (%same1% = 1)));
/* repeat until all previous youths have been checked OR there is a match */
Lead In: PS-23-LOOP-BEGIN[Default]
Default Next Question: PS-27-LOOP-BEGIN
[PS-27-LOOP-BEGIN]
REPEAT (%ps-loop-3%);
/* repeat the next few qs */
Lead In: PS-25-LOOP-END[Default]
```

Branch Conditions...

Default Next Question: PS-29-LOOP-END

[PS-29-LOOP-END]

UNTIL (%ps-loop-3%, ((%ps-loop-3% = (%ps-loop-1% - 1)) or (%same2% = 1)));

/* repeat until all previous youths have been checked OR there is a match */

Lead In: PS-27-LOOP-BEGIN[Default]
Default Next Question: PS-31-LOOP-END

[PS-31-LOOP-END]

UNTIL (%PS-LOOP-1%, (%PS-LOOP-1% = %youth.count%));

/* repeat until all youths have been cycled through */

Lead In: PS-29-LOOP-END[Default] PS-22[1:1]

Default Next Question: P2-001